

In the Claims

Amendments to the claims are reflected in the listing of claims which begins on page 4 of this paper.

### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims

1. (Currently Amended): A tank in communication with a swimming pool, said tank containing both an automatic fill device and an overflow drain device, wherein elevational movement of the automatic fill device and overflow drain device relative to the tank is not restricted by any attachment to the tank, the heights of the automatic fill device and overflow drain device within the tank are selectively and simultaneously adjustable, and wherein setting the height of one of the devices in the tank automatically sets the height of the other device in the tank for the purpose of obtaining a desired pool water level.
2. (Originally Presented): The tank of claim 1, wherein the automatic fill device and the overflow drain device are connected to each other.
3. (Originally Presented): The tank of claim 1, further comprising adjusting means for adjusting the height of the automatic fill device and the overflow drain device within the tank.
4. (Currently Amended): A tank in communication with a swimming pool, said tank containing an automatic fill device and an overflow drain device selectively movable for elevational adjustment relative to the tank, said fill and drain devices being connected to each other in a fixed relationship.

5. (Originally Presented): The tank of claim 4, wherein the automatic fill device and the overflow drain device are connected to a vertically adjustable member.

6. (Originally Presented): The tank of claim 5, further comprising adjusting means to selectively secure the vertically adjustable member at different levels within the tank.

7. (Originally Presented): The tank of claim 6, wherein when the height of the vertically adjustable member is set a preselected water level is set, the overflow drain device has an inlet, and the inlet is located above the preselected water level.

8. (Currently Amended): A tank in communication with a pool containing an automatic level control system, comprising:

an automatic fill device in fixed relationship to an overflow drain device; and  
adjusting means for simultaneously adjusting the height of the automatic fill device and the overflow drain device within the tank,

wherein elevational movement of the automatic fill device and overflow drain device relative to the tank is not restricted by any attachment to the tank and the heights of the automatic fill device and the overflow device within the tank are selectively and simultaneously adjustable.

9. (Currently Amended): A skimmer comprising:  
a positive pressure area;  
a relatively no flow chamber in communication with the positive pressure area of the skimmer;

an automatic fill device contained in the chamber; and

an overflow drain device contained within the chamber;

wherein the automatic fill device and overflow drain device are connected in a fixed relationship to each other, elevational movement of the automatic fill device and overflow drain device is not restricted by any attachment to the chamber, the heights of the automatic fill device and overflow drain device within the tank are simultaneously adjustable, and setting the height of one of the devices in the chamber automatically sets the height of the other device in the chamber.

10. (Currently Amended): The skimmer of claim 9, further comprising adjusting means for adjusting the height of the automatic fill device and the overflow drain device in the ~~tank~~ chamber.

11. (Originally Presented): The skimmer of claim 9, wherein the automatic fill device and the overflow drain device are attached to an adjustable plate.

12. (Currently Amended): The skimmer of claim 11, further comprising adjusting means for adjusting the height of the plate within the ~~tank~~ chamber.

13. (Originally Presented): The skimmer of claim 9, wherein the automatic fill device and the overflow drain device are attached to an adjustable platform.

14. (Currently Amended): The skimmer of claim 13, further comprising adjusting means for adjusting the height of the platform within the ~~tank~~ chamber.

15. (Withdrawn): In combination with a pool overflow drain that is protected by a filter screen; an improved automatic fill device for the pool connected in communication with the overflow drain to backflush the screen every time the automatic fill device is activated.

16. (Currently Amended): A method of achieving a desired water level in a pool, comprising the steps of:

providing a tank in communication with the pool, said tank containing an automatic fill device and an overflow drain device in fixed relation to each other, wherein elevational movement of the automatic fill device and overflow drain device is not restricted by any attachment to the tank, the heights of the automatic fill device and the overflow drain device within the tank are simultaneously adjustable and setting the height of one of the devices in the tank automatically sets the height of the other device in the tank; and

simultaneously adjusting the height of the automatic fill device and the overflow drain device within the tank to the desired water level.